Journal of Computational and Applied Mathematics 10 (1984) 389–405
North-Holland

Master Index to Volumes 1–10

Abbott, J.P., An efficient algorithm for the determinatioin of certain bifurcation points **4** (1) (1978) 19– 27
Abdelmalek, N.N., Computer program for the discrete linear restricted Chebyshev approximation (Algorithm 21) **7** (2) (1981) 141–150
Abdrabbo, N.A., A new approach to the problem of estimating spectral parameters of non-stationary time series models **5** (2) (1979) 125–129
Abdrabbo, N.A. and **Mattar, A.**, A CUSUM test for detecting change in the transfer functions of open loop stochastic systems **4** (2) (1978) 147–154
Aberth, O., A method for exact computation with rational numbers **4** (4) (1978) 285–288
Adler, R.J., see **Wu, C.L.** **1** (1) (1975) 25– 37
Adler, R.J., see **Wu, C.L.** **2** (3) (1976) 169–185
Agarwal, R.P., The numerical solution of multipoint boundary value problems **5** (1) (1979) 17– 24
Agarwal, R.P., On periodic solutions of nonlinear second order differential systems **5** (2) (1979) 117–123
Agarwal, R.P., Contraction and approximate contraction with an application to multi-point boundary value problems **9** (4) (1983) 315–325
Agarwal, R.P. and **Akrivis, G.**, Boundary value problems occuring in plate deflection theory **8** (3) (1982) 145–154
Agarwal, R.P. and **Chow, Y.M.**, Iterative methods for a fourth order boundary value problem **10** (2) (1984) 203–217
Akl, S.G., On the expected number of optimal and near-optimal solutions to the Euclidean travelling salesman problem (Short Communication) **7** (4) (1981) 287–288
Akrivis, G., see **Agarwal, R.P.** **8** (3) (1982) 145–154
Alaylioglu, A., Numerical evaluation of finite Fourier integrals **9** (4) (1983) 305–313
Al-Mutib, A.N., Stability properties of numerical methods for solving delay differential equations **10** (1) (1984) 71– 79
Alt, R., A-stable one-step methods with step-size control for stiff systems of ordinary differential equations **4** (1) (1978) 29– 35
Andrade, C. and **McKee, S.**, High accuracy A.D.I. methods for fourth order parabolic equations with variable coefficients **3** (1) (1977) 11– 14
Anglesio, J.D. and **Troesch, B.A.**, High precision results for a two-point boundary value problem **6** (2) (1980) 99–103
Ansari, J.S., A theorem on asymptotic behaviour of functional equations and its applications **2** (1) (1976) 35– 39
Arimizu, T., see **Sagara, N.** **8** (3) (1982) 209–212
Ascher, U. and **Rosen, J.B.**, A collocation method for parabolic quasilinear problems on general domains **5** (3) (1979) 183–191
Avdelas, G., Evans, D.J. and **Hadjidimos, A.**, Second order Chebyshev semi-iteration in connection with *p*-parametric E.A.D.I. schemes **7** (4) (1981) 261–266
Avdelas, G., Galanis, S. and Hadjidimos, A., Three-level extrapolated alternating direction implicit (E.A.D.I.) methods for the numerical solution of two-dimensional second order elliptic problems **5** (4) (1979) 269–275
Avdelas, G. and **Hadjidimos, A.**, Analytical eigenvalue bounds for matrices arising when discretizing the self-adjoint second order elliptic partial differential equations **4** (3) (1978) 207–211
Axelsson, O., High-order methods for parabolic problems **1** (1) (1975) 5– 16

0377-0427/84/$3.00 © 1984, Elsevier Science Publishers B.V. (North-Holland)

Axelsson, O. and **Steihaug, T.**, Some computational aspects in the numerical solution of parabolic equations **4** (2) (1978) 129–142
Aziz, A. and **Na, T.Y.**, A numerical scheme for unsteady flow of a viscous fluid between elliptic plates **7** (2) (1981) 115–119
Balas, E. and **Bergthaller, C.**, Benders's method revisited **9** (1) (1983) 3– 12
Barakat, M.F.A., On the product solutions of Storm–Liouville equations with many parameters in a space of the type L_2 **9** (4) (1983) 327–331
Baratella, P., Garetto, M. and **Vinardi G.**, Approximation of the Bessel function $J_\nu(x)$ by numerical integration **7** (2) (1981) 87– 91
Barnett, A.R., High-precision evaluation of the regular and irregular Coulomb wavefunctions **8** (1) (1982) 29– 33
Barrodale, I. and **Wilson, K.B.**, A Fortran program for solving a nonlinear equation by Muller's method (Algorithm 12) **4** (2) (1978) 159–166
Baumel, R.T., Gammel, J.L. and **Nuttall, J.**, Placements of cuts in Padé-like approximation **7** (2) (1981) 135–140
Behforooz, G.H. and **Papamichael, N.**, End conditions for interpolatory cubic splines with unequally spaced knots **6** (1) (1980) 59– 65
Beirlant, J., Dudewicz, E.J. and **Meulen, E.C. van der**, Complete statistical ranking of populations, with tables and applications **8** (3) (1982) 187–201
Bekiroglu, H. and **McRoberts, K.L.**, Mathematical analysis of a shuttle system based on two interdependent queues **2** (3) (1976) 195–206
Bellen, A., One-step collocation for delay differential equations **10** (3) (1984) 275–283
Benson, A. and **Evans, D.J.**, A normalised algorithm for the solution of symmetric general five-term linear systems of semi-bandwidth M (Algorithm 16) **5** (4) (1979) 299–304
Bergthaller, C., see **Balas, E.** **9** (1) (1983) 3– 12
Berkey, D.D. and **Freedman, M.I.**, A perturbation method applied to the buckling of a compressed elastica **4** (3) (1978) 213–221
Bhattacharjee, G.P. and **Majumder, K.L.**, Multivariate interval interpolation **4** (4) (1978) 295–300
Bickart, Th.A., F-stable and F(α, β)-stable integration/interpolation methods in the solution of retarded differential-difference equations **8** (4) (1982) 279–284
Bierbaum, F. and **Schwierz, K.-P.**, A bibliography on interval-mathematics (Bibliography 7) **4** (1) (1978) 59– 86
Bignami, A. and **Cupini, E.**, A Monte Carlo method for finite difference equations of elliptic type in a multiregion domain **8** (2) (1982) 87– 92
Biringen, S., A note on the numerical stability of the convection-diffusion equation **7** (1) (1981) 17– 20
Boor, C. de and **Höllig, K.**, Bivariate box splines and smooth pp functions on a three direction mesh **9** (1) (1983) 13– 28
Borght, R. van der, A numerical study of non-linear convection in a compressible medium **6** (4) (1980) 283–294
Bowman, K.O., see **Shenton, L.R.** **2** (3) (1976) 151–167
Bowman, K.O., see **Shenton, L.R.** **3** (1) (1977) 35– 51
Bowman, K.O., see **Shenton, L.R.** **4** (1) (1978) 3– 5
Bowman, K.O., Lam, H.K. and **Shenton, L.R.**, Bounds for the expectation of the kth root of a random variable **10** (2) (1984) 229–244
Bowman, K.O., Lam, H.K. and **Shenton, L.R.**, Bounds for certain integrals **10** (2) (1984) 245–254
Bowman, K.O. and **Shenton, L.R.**, A new algorithm for summing divergent series. Part 2: A two-component Borel summability model **2** (4) (1976) 259–266
Bowman, K.O. and **Shenton, L.R.**, Asymptotic series and Stieltjes continued fractions for a gamma function ratio **4** (2) (1978) 105–111
Bowman, K.O. and **Shenton, L.R.**, Continued fractions and the polygamma functions **9** (1) (1983) 29– 39

Branders, M., see **Piessens, R.** **1** (3) (1975) 153–164
Branders, M. and **Piessens, R.**, An extension of Clenshaw–Curtis quadrature (Algorithm 1) **1** (1) (1975) 55– 65
Breesch, P., Kerf, J.L.F. de and **Goovaerts, M.J.**, A note on the numerical evaluation of integrals over strongly oscillating functions **1** (1) (1975) 47– 49
Brezinski, C., Computation of Padé approximants and continued fractions **2** (2) (1976) 113–123
Brezinski, C., Recursive interpolation, extrapolation and projection **9** (4) (1983) 359–376
Broeder, G. den, Between Newton and Cauchy: the diagonal variable metric method; theory and test results **6** (4) (1980) 267–273
Broom, M.A. and **Hopkins, T.R.**, Peripheral and ADI hopscotch methods for two dimensional parabolic and elliptic equations with a mixed term **9** (3) (1983) 239–245
Brown, D.R. and **O'Malley, M.J.**, The role of eigenvalues in linear feature selection theory **3** (4) (1977) 243–249
Bruin, M.G. de, An algorithm for calculating generalized continued fractions **4** (3) (1978) 177–179
Bruin, M.G. de, New convergence results for continued fractions generated by four-term recurrence relations **9** (3) (1983) 271–278
Brunner, H., A survey of recent advances in the numerical treatment of Volterra integral and integro-differential equations (Bibliography 13) **8** (3) (1982) 213–229
Bultheel, A., Remark on "A new look at the Padé table and different methods for computing its elements" (Short Communication) **5** (1) (1979) 67
Bultheel, A., Division algorithms for continued fractions and the Padé table **6** (4) (1980) 259–266
Bultheel, A., Recursive relations for block Hankel and Toeplitz systems. Part I: Direct recursions **10** (3) (1984) 301–328
Bultheel, A., Recursive relations for block Hankel and Toeplitz systems. Part II: Dual recursions **10** (3) (1984) 329–354
Burley, D.M., see **Crane, C.M.** **2** (2) (1976) 95–111
Burniston, E.E., see **Siewert, C.E.** **2** (1) (1976) 19– 21
Burniston, E.E. and **Siewert, C.E.**, On the solution of certain algebraic equations **4** (1) (1978) 37– 39

Cahlon, B.,see **Westreich, D.** **5** (2) 91979) 111–115
Cahlon, B., Numerical solution of non-linear Volterra integral equations **7** (2) (1981) 121–128
Calvo, M. and **Mar Quemada, M.**, On the stability of rational Runge–Kutta methods **8** (4) (1982) 289–292
Campbell, J.B., The solution by fast Fourier transforms of Laplace's equation in a toroidal region with a rectangular cross-section **6** (2) (1980) 89– 92
Chan, C. and **Klassen, M.**, A performance comparison study between subroutine packages LINSYS, IBMSSP and IMSL for solving systems of linear equations **1** (2) (1975) 111–113
Chatterjee, A.K. and **Debnath, L.**, Nonlinear mathematical model of the junction of tidal rivers **2** (1) (1976) 13– 18
Chatterjee, A.K. and **Debnath, L.**, Nonlinear mathematical model of inhomogeneous tidal rivers **4** (3) (1978) 223–227
Chawla, M.M. and **Katti, C.P.**, Finite difference methods for a class of two-point boundary value problems with mixed boundary conditions **6** (3) (1980) 189–196
Chawla, M.M. and **Katti, C.P.**, A new symmetric five-diagonal finite difference method for computing eigenvalues of fourth-order two-point boundary value problems (Short Communication) **8** (2) (1982) 135–136
Chawla, M.M. and **Sharma, S.R.**, Absolute stability of explicit Runge–Kutta–Nyström methods for $y'' = f(x, y, y')$ **10** (2) (1984) 163–168
Chen, T.H.C., Asymptotic estimates for the generalized Fourier coefficients **10** (1) (1984) 1– 5
Chihara, T.S., On generalized Stieltjes–Wigert and related orthogonal polynomials **5** (4) (1979) 291–297
Chin, R.C.Y., On the matched asymptotic solution of the Troesch problem **7** (3) (1981) 181–185

Chisholm, J.S.R., Genz, A.C and **Pusterla, M.,** A method for computing Feynman amplitudes with branch cuts **2** (2) (1976) 73– 76
Chow, E.-P., see **Jeffreson, C.P.** **4** (1) (1978) 53– 58
Chow, Y.M., see **Agarwal, R.P.** **10** (2) (1984) 203–217
Christov, N.D., see **Konstantinov, M.M.** **6** (1) (1980) 27– 35
Chu, M.T., An automatic multistep method for solving stiff initial value problems **9** (3) (1983) 229–238
Chuang, C.I., see **Drachman, B.** **7** (3) (1981) 167–171
Claessens, G., A new look at the Padé table and the different methods for computing its elements **1** (3) (1975) 141–152
Claessens, G., A generalization of the QD algorithm **7** (4) (1981) 237–247
Claessens, G. and **Wuytack, L.,** On the computation of non-normal Padé approximants **5** (4) (1979) 283–289
Clegg, D.B., On Newton's method with a class of rational functions **7** (2) (1981) 93–100
Cole, F., Forecasting by exponential smoothing, the Box and Jenkins procedure and spectral analysis. A simulation study **6** (1) (1980) 53– 58
Cole, R.J., see **Pescatore, C.** **6** (3) (1980) 197–199
Coleman, J.P., A "refined Born approximation" and Aitken's Δ^2 method **4** (2) (1978) 101–103
Collier, J., see **Greenspan, D.** **4** (4) (1978) 235–257
Cook, A.E. and **Gibson, R.D.,** Fifth and sixth order PECE algorithms based on g-splines with improved stability characteristics **3** (2) (1977) 85– 87
Corliss, G. and **Lowery, D.,** Choosing a stepsize for Taylor series methods for solving ODE's **3** (4) (1977) 251–256
Crane, C.M. and **Burley, D.M.,** Numerical studies of laminar flow in ducts and pipes **2** (2) (1976) 95–111
Cruyssen, P. van der, Discussion of algorithms for the computation of generalized continued fractions **8** (3) (1982) 179–186
Cubillos, P.O., Integral operators with Green's function type kernel **10** (1) (1984) 25– 31
Cupini, E., see **Bignami, A.** **8** (2) (1982) 87– 92
Cuyvers, L., see **Meeusen, W.** **1** (3) (1975) 185–203

Dahiya, R.S., Computation of n-dimensional Laplace transforms **3** (3) (1977) 185–188
Dahmen, W. and **Micchelli, C.A.,** On the optimal approximation rates for criss-cross finite element spaces **10** (3) (1984) 255–273
Dang, N.D.P. see **Piessens, R.** **2** (3) (1976) 225–228
Danloy, B., On the choice of signs for Householder's matrices (Short Communiation) **2** (1) (1976) 67– 69
Day, J.D. and **Murthy, D.N.P.,** An $L(\alpha)$-stable fourth order Rosenbrock method with error estimator **8** (1) (1982) 21– 27
Day, J.D. and **Murthy, D.N.P.,** A comparison of some ODE solvers which require Jacobian evaluations **9** (3) (1983) 213–219
Debnath, L., see **Chatterjee, A.K.** **2** (1) (1976) 13– 18
Debnath, L., see **Chatterjee, A.K.** **4** (3) (1978) 223–227
Dekker, K., Generalized Runge–Kutta methods for coupled systems of hyperbolic differential equations **3** (4) (1977) 221–233
Deville, M. and **Labrosse, G.,** An algorithm for the evaluation of multidimensional (direct and inverse) discrete Chebyshev transforms (Algorithm 23) **8** (4) (1982) 293–304
Devooght, J., Analytic continuation by reproducing kernel methods combined with Padé approximations **2** (4) (1976) 231–239
Dey, S.K., Perturbed iterative solution of nonlinear equations with applications to fluid dynamics **3** (1) (1977) 15– 30
Dey, S.K., Perturbed iterative solution of coupled nonlinear systems with application to fluid dynamics **4** (2) (1978) 117–128

D'Hooge, L., see **Pril, N. de** **2** (1) (1976) 55– 62
Dick, E., Local modal analysis of unsteady discrete systems with nodal equations of unequal form **8** (1) (1982) 63– 67
Dick, E., Overrelaxation methods for hybrid systems of first order partial differential equations **8** (4) (1982) 267–274
Dierckx, P., An algorithm for smoothing, differentiation and integration of experimental data using spline functions (Algorithm 3) **1** (3) (1975) 165–184
Dierckx, P., An algorithm for least-squares fitting of cubic spline surfaces to functions on a rectilinear mesh over a rectangle (Algorithm 8) **3** (2) (1977) 113–129
Dierckx, P. and **Piessens, R.**, Calculation of Fourier coefficients of discrete functions using cubic splines **3** (3) (1977) 207–209
D'Oliveira, A.B., see **Gerck, E.** **6** (1) (1980) 81– 82
Doncker, E. de, see **Roose, D.** **7** (3) (1981) 203–224
Doncker, E. de and **Piessens, R.**, A bibliography on automatic integration (Bibliography 5) **2** (4) (1976) 273–280
Dooren, P. van and **Ridder, L. de**, An adaptive algorithm for numerical integration over an n-dimensional cube (Algorithm 6) **2** (3) (1976) 207–217
Dormand, J.R., see **Prince, P.J.** **7** (1) (1981) 67– 75
Dormand, J.R and **Prince, P.J.**, A family of embedded Runge–Kutta formulae **6** (1) (1980) 19– 26
Drachman, B. and **Chuang, C.I.**, A table of two hundred zeros of the derivative of the modified Bessel function $K_n(z)$ and a graph of their distribution **7** (3) (1981) 167–171
Dreyer, T.P. and **Murray, D.M.**, The numerical solution of the pre-elimination models of cable configurations **10** (1) (1984) 81– 91
Dudewicz, E.J., see **Beirlant, J.** **8** (3) (1982) 187–201
Dunham, C.B., Chebyshev approximation by exponential-polynomial sums **5** (1) (1979) 53– 57
Dunham, C.B., A survey of published programs for best approximation (Bibliography 9) **5** (2) (1979) 141–143
Dunham, C.B., A Fortran program for discrete nonlinear Chebyshev approximation (Algorithm 18) **6** (3) (1980) 241–245
Dunham, C.B., Weighted discrete nonlinear Chebyshev approximation (Short Communication) **8** (2) (1982) 133
Dunham, C.B., The linear inequality method for rational approximation with interpolation (Letter) **10** (3) (1984) 383
Dyck, D. van, Ridder, R. de and **Sitter, J. de**, The most storage economical Runge–Kutta methods for the solution of large systems of coupled first-order differential equations (Short Communication) **6** (1) (1980) 83– 85

Ebert, U., Computation of optimal radiation treatment plans **3** (2) (1977) 99–104
Eiermann, M., On the convergence of Padé-type approximants to analytic functions **10** (2) (1984) 219–227
Einarsson, B., Solving a system of linear inequalities for generating test data **3** (4) (1977) 269–271
Einarsson, B., Bibliography on the evaluation of numerical software (Bibliography 10) **5** (2) (1979) 145–159
Evans, D.J., Computation of eigenvalues and eigenvectors of a symmetric quindiagonal matrix (Algorithm 9) **3** (2) (1977) 131–141
Evans, D.J., see **Avdelas, G.** **7** (4) (1981) 261–266
Evans, D.J., see **Benson, A.** **5** (4) (1979) 299–304
Evans, D.J. and **Fatunla, S.O.**, A linear multistep numerical integration scheme for solving systems of ordinary differential equations with oscillatory solutions **3** (4) (1977) 235–241
Evans, D.J. and **Okolie, S.O.**, The numerical solution of an elliptic P.D.E. with periodic boundary conditions in a rectangular region by the spectral resolution method **8** (4) (1982) 237–242

Evans, N.T.S. and **Gourlay, A.R.**, Implementation of the "hopscotch" technique in the numerical solution of diffusion problems **5** (1) (1979) 47– 52

Fatunlal, S.O., see **Evans, D.J.** **3** (4) (1977) 235–241
Ford, C.H., see **Neta, B.** **10** (1) (1984) 33– 38
Forsyth, Jr., P. and **Rasmussen, H.**, High order perturbation solution of the electrochemical smoothing problem **6** (1) (1980) 37– 42
Freedman, M.I., see **Berkey, D.D.** **4** (3) (1978) 213–221
Freedman, M.I. and **Kaplan, J.L.**, Use of a non-linear clock in the perturbation analysis of time optimal control problems **1** (4) (1975) 219–228
Fukushima, M., On the convergence of a class of outer approximation algorithms for convex programs **10** (2) (1984) 147–156
Fukushima, M., see **Sagara, N.** **10** (2) (1984) 157–161
Funcheon, M.J., see **Phelps, III, J.S.** **10** (2) (1984) 135–139

Gabutti, B., On the generalization of a method for computing Bessel function integrals (Short Communication) **6** (2) (1980) 167–168
Galanis, S., see **Avdelas, G.** **5** (4) (1979) 269–275
Gallagher, N.C., see **Wise, G.L.** **7** (3) (1981) 157–160
Galperin, A. and **Waksman, Z.**, A separable integer programming problem equivalent to its continual version **7** (3) (1981) 173–179
Gammel, J.L., see **Baumel, R.T.** **7** (2) (1981) 135–140
Garetto, M., see **Baratella, P.** **7** (2) (1981) 87– 91
Garibotti, C.R. and **Grinstein, F.F.**, Recent results relevant to the evaluation of infinite series **9** (3) (1983) 193–200
Garloff, J. and **Schwierz, K.-P.**, A bibliography on interval mathematics (Bibliography 11) **6** (1) (1980) 67– 79
Genz, A.C., A nonlinear method for the acceleration of the convergence of multidimensional sequences **3** (3) (1977) 181–184
Genz, A.C., see **Chisholm, J.S.R.** **2** (2) (1976) 73– 76
Genz, A.C. and **Malik, A.A.**, Remarks on algorithm 006: An adaptive algorithm for numerical integration over an N-dimensional rectangular region (Algorithm 19) **6** (4) (1980) 295–302
Gerber, H.U., **Goovaerts, M.J.** and **Pril, N. de**, The Wiener process with drift between a linear retaining and an absorbing barrier **7** (4) (1981) 267–269
Gerck, E. and **D'Oliveira, A.B.**, Continued fraction calculation of the eigenvalues of tridiagonal matrices arising from the Schrödinger equation (Short Communication) **6** (1) (1980) 81– 82
Gibson, R.D., see **Cook, A.E.** **3** (2) (1977) 85– 87
Giordano, C. and **Laforgia, A.**, Elementary approximations for zeros of Bessel functions **9** (3) (1983) 221–228
Givens, C.R. and **Lo, C.Y.**, Series expansions of solutions of $u_{xx} + (2\nu/x)u + \varepsilon^2 u_{tt} = u_t$ **10** (1) (1984) 7– 23
Glasser, M.L., On some integrals arising in mathematical physics **10** (3) (1984) 293–299
Goel, R., see **Jain, R.K.** **9** (4) (1983) 361–367
Goel, R., see **Kambo, N.S.** **9** (1) (1983) 81– 90
Goethem, P. van, see **Goovaerts, M.J.** **4** (2) (1978) 93–100
Goovaerts, M.J., see **Breesch, P.** **1** (1) (1975) 47– 49
Goovaerts, M.J., see **Gerber, H.U.** **7** (4) (1981) 267–269
Goovaerts, M.J., see **Pril, N. de** **2** (1) (1976) 55– 62
Goovaerts, M.J., see **Vylder, F. de** **8** (2) (1982) 121–126

Goovaerts, M.J. and **Goethem, P. van,** On a Berry–Esseen theorem for compound Poisson processes **4** (2) (1978) 93–100
Gourlay, A.R., see **Evans, N.T.S.** **5** (1) (1979) 47– 52
Gourlay, A.R. and **McKee, S.,** The construction of hopscotch methods for parabolic and elliptic equations in two space dimensions with a mixed derivative **3** (3) (1977) 201–206
Gourlay, A.R. and **McKee, S.,** Hopscotch methods for elliptic partial differential equations **5** (2) (1979) 103–110
Gourlay, A.R. and **Morris, J.Ll.,** Locally one-dimensional hopscotch methods **4** (4) (1978) 269–273
Graney, L., The numerical solution of unstable two points boundary value problems **3** (3) (1977) 173–180
Graney, L. and **Richardson, A.A.,** The numerical solution of non-linear partial differential equations by the method of lines **7** (4) (1981) 229–236
Graves-Morris, P.R., A generalised Q.D. algorithm (Short Communication) **6** (3) (1980) 147–249
Graves-Morris, P.R., The convergence of ray sequences of Padé approximants of Stieltjes functions **7** (3) (1981) 191–201
Graves-Morris, P.R., Symmetrical formulas for rational interpolants (Short Communication) **10** (1) (1984) 107–111
Graves-Morris, P.R. and **Hughes Jones, R.,** An analysis of two variable rational approximants **2** (1) (1976) 41– 48
Greenspan, D., Computer studies of interactions of particles with differing masses **3** (3) (1977) 145–154
Greenspan, D., A new computer approach to the modelling of atoms, ions and molecules. Part I: Hydrogen **7** (1) (1981) 41– 49
Greenspan, D., A new computer approach to the modelling of atoms and molecules. Part II: The oxygen molecule O_2 **7** (2) (1981) 129–133
Greenspan, D. and **Collier, J.,** Computer studies of planetary-type evolution **4** (4) (1978) 235–257
Gretton, H.W. and **Jukes, K.A.,** Computations of Tauberian constants connected with equiconvergence and the quadratfrei numbers **5** (1) (1979) 25– 27
Greydanus, J. and **Rasmussen, H.,** Numerical solution of Rayleigh–Taylor instability problem **9** (2) (1983) 97–103
Gribble, J.D., Inner product quadrature formulas exact on maximal product spaces of functions **8** (2) (1982) 73– 79
Griffiths, D.F., see **Mitchell, A.R.** **6** (3) (1980) 219–228
Grinstein, F.F., see **Garibotti, C.R.** **9** (3) (1983) 193–200
Groen, P.P.N. de, A finite element method with a large mesh-width for a stiff two-point boundary balue problem **7** (1) (1981) 3– 15
Grosjean, C.C., The orthogonality property of the Lommel polynomials and a twofold infinity of relations between Rayleigh's σ-sums **10** (3) (1984) 355–382
Gwinner, J., Bibliography on non-differentiable optimization and non-smooth analysis (Bibliography 12) **7** (4) (1981) 277–285

Hadjidimos, A., see **Avdelas, G.** **4** (3) (1978) 207–211
Hadjidimos, A., see **Avdelas, G.** **5** (4) (1979) 269–275
Hadjidimos, A., see **Avdelas, G.** **7** (4) (1981) 261–266
Haegemans, A., see **Nerinckx, D.** **2** (2) (1976) 145–148
Haegemans, A., see **Piessens, R.** **1** (2) (1975) 79– 83
Hallet, P., see **Mund, E.H.** **1** (4) (1975) 279–288
Hamacher, H., Optimal cocircuits in regular matroids and applications **8** (3) (1982) 171–177
Hanson, R.J., Computing an interior point for inequalities using linear optimization (Short Communication) **5** (1) (1979) 69– 70
Hautot, A. and **Magnus, A.,** Calculation of the eigenvalues of Schrödinger equations by an extension of Hill's method **5** (1) (1979) 3– 15

Hebsaker, H.-M., Conditions for the coefficients of Runge–Kutta methods for systems of n-th order differential equations **8** (1) (1982) 3– 14
Hellemans, P., A numerical solution of the Cauchy problem based on trigonometric interpolation (Short Communication) **8** (4) (1982) 305–306
Hemker, P.W., A note on defect correction processes with an approximate inverse of deficient rank (Short Communication) **8** (2) (1982) 137–139
Hennart, J.P., see **Mund, E.H.** **1** (4) (1975) 279–288
Hennessy, T.R., A comparative approach to Laplace transform inversion **4** (2) (1978) 89– 91
Henrici, P., Pointwise error estimates for trigonometric interpolation and conjugation **8** (2) (1982) 131–132
Herbst, B.M., Mitchell, A.R. and **Schoombie, S.W.,** Equidistributing principles in moving finite element methods **9** (4) (1983) 377–389
Hermann, M., The numerical treatment of perturbed bifurcation problems in ordinary differential equations **9** (1) (1983) 71– 80
Hirdes, U., see **Honig, G.** **10** (1) (1984) 113–132
Höllig, K., see **Boor, C. de** **9** (1) (1983) 13– 28
Honig, G. and **Hirdes, U.,** A method for the numerical inversion of Laplace transforms (Algorithm 27) **10** (1) (1984) 113–132
Hopkins, T.R., On the sensitivity of the coefficient of Padé approximants with respect to their defining power series coefficients **8** (2) (1982) 105–109
Hopkins, T.R., see **Broom, M.A.** **9** (3) (1983) 239–245
Hoskins, W.D., Meek, D.S. and **Walton, D.J.,** A rapidly convergent method for the solution of the matrix equation $XA + AY = F$ (Algorithm 10) **3** (3) (1977) 211–215
Hosny, E.A. and **Sobhy, M.I.,** An algorithm for the calculation of transfer functions of two variable systems or networks **8** (3) (1982) 159–164
Hough, D.M., see **Papamichael, N.** **9** (2) (1983) 155–166
Houstis, E.N., The complexity of numerical methods for elliptic partial differential equations **4** (3) (1978) 191–197
Houwen, P.J. van der and **Sommeijer, B.P.,** Stability in linear multistep methods for pure delay equations **10** (1) (1984) 55– 63
Houwen, P.J. van der, Sommeijer, B.P. and **Verwer, J.G.,** Comparing time integrators for parabolic equations in two space dimensions with a mixed derivative **5** (2) (1979) 73– 83
Houwen, P.J. van der and **Vries, H.B. de,** A fourth order ADI method for semidiscrete parabolic equations **9** (1) (1983) 41– 63
Howes, F.A., An analytic treatment of the formation of one-dimensional steady shock waves in uniform and diverging ducts **10** (2) (1984) 195–201
Hughes Hallett, A.J., Alternative techniques for solving systems of nonlinear equations **8** (1) (1982) 35– 48
Hughes Hallett, A.J., Second-order iterations with guaranteed convergence **10** (3) (1984) 285–291
Hughes Jones, R., see **Graves-Morris, P.R.** **2** (1) (1976) 41– 48
Huntley, E., see **Zinober, A.S.I.** **6** (4) (1980) 253–258
Husain, A., see **Murty, B.S.N.** **9** (4) (1983) 299–304
Husain, A., see **Reddy, P.J.** **1** (4) (1975) 255–265

Ikeuchi, M., see **Niki, H.** **8** (1) (1982) 15– 19
Ikeuchi, M., see **Niki, H.** **8** (4) (1982) 257–266
Ikeuchi, M., Kobayashi, H., Sawami, H. and **Niki, H.,** On the spectral radius of the Jacobi iteration matrix for a rectangular region with two different media **5** (4) (1979) 247–258
Ioakimidis, N.I., One more approach to the computation of Cauchy principal value integrals (Short Communication) **7** (4) (1981) 289–291

Ioakimidis, N.I., On the quadrature methods for the numerical solution of singular integral equations **8** (2) (1982) 81– 86
Iserles, A., A-acceptable exponentially fitted combinations of three Padé approximations **4** (2) (1978) 143–146

Jablonski, A., A Monte Carlo algorithm for solving systems of non-linear equations **6** (3) (1980) 171–175
Jain, M.K. and **Saldanha, J.S.V.**, Higher order difference methods for second order two-point boundary-value problems **4** (3) (1978) 199–206
Jain, R.K., see **Kambo, N.S.** **9** (1) (1983) 81– 90
Jain, R.K., Kambo, N.S. and **Goel, R.**, High-order one-step P-stable methods for the numerical integration of periodic initial value problems **9** (4) (1983) 361–367
Jeffreson, C.P. and **Chow, E.-P.**, Least squares coefficients for a quadrature formula for Laplace transform inversion **4** (1) (1978) 53– 58
Jesanis, M.E., see **Papatheodorou, T.S.** **6** (1) (1980) 3– 8
Johnson, R.C., Interpolation by local space curves **3** (2) (1977) 79– 84
Jones, W.B. and **Magnus, A.**, Computation of poles of two-point Padé approximants and their limits **6** (2) (1980) 105–119
Jones, W.B., Njåstad, O. and **Thron, W.J.**, Two-point Padé expansions for a family of analytic functions **9** (2) (1983) 105–123
Jukes, K.A., see **Gretton, H.W.** **5** (1) (1979) 25– 27

Kambo, N.S., see **Jain, R.K.** **9** (4) (1983) 361–367
Kambo, N.S., Jain, R.K. and **Goel, R.**, A fourth order method for $y'' = f(x, y, y')$ **9** (1) (1983) 81– 90
Kammler, D.W., A perturbation analysis of the intrinsic conditioning of an approximate null vector computed with a SVD **9** (3) (1983) 201–204
Kammler, D.W. and **McGlinn, R.J.**, A bibliography for approximation with exponential sums (Bibliography 8) **4** (2) (1978) 167–173
Kaplan, J.L., see **Freedman, M.I.** **1** (4) (1975) 219–228
Katti, C.P., see **Chawla, M.M.** **6** (3) (1980) 189–196
Katti, C.P., see **Chawla, M.M.** **8** (2) (1982) 135–136
Kerf, J.L.F. de, The interpolation method of Sprague–Karup **1** (2) (1975) 101–110
Kerf, J.L.F. de, A bibliography on fuzzy sets (Bibliography 2) **1** (3) (1975) 205–212
Kerf, J.L.F. de, see **Breesch, P.** **1** (1) (1975) 47– 49
Kiessling, I. and **Paulik, A.**, A norm-reducing Jacobi-like algorithm for the eigenvalues of non-normal matrices **8** (3) (1982) 203–207
Klassen, M., see **Chan, C.** **1** (2) (1975) 111–113
Klein, A., An explicit expression for the discrete-time fixed-lag smoothing equation **8** (2) (1982) 127–129
Klein, G., On spline functions and statistical regularization of ill-posed problems **5** (4) (1979) 259–264
Kloek, T. and **Lempers, F.B.**, Post-experiment introduction of constraints on parameters **1** (4) (1975) 235–237
Kobayashi, H., see **Ikeuchi, M.** **5** (4) (1979) 247–258
Konstantinov, M.M., Petkov, P.Hr. and **Christov, N.D.**, Synthesis of linear systems with desired equivalent form **6** (1) (1980) 27– 35
Krishnaiah, U.A., Inverse linear multistep methods for the numerical solution of initial value problems of second order differential equations **7** (2) (1981) 111–114
Krishnaiah, U.A., Adaptive methods for periodic initial value problems of second order differential equations **8** (2) (1982) 101–104

Labrosse, G., see **Deville, M.** **8** (4) (1982) 293–304
Laforgia, A., see **Giordano, C.** **9** (3) (1983) 221–228

Lal, M. and **Moffatt, D.**, Picard's successive approximation for non-linear two point boundary-value problems **8** (4) (1982) 233–236
Lam, H.K., see **Bowman, K.O.** **10** (2) (1984) 229–244
Lam, H.K., see **Bowman, K.O.** **10** (2) (1984) 245–254
Laporte, G., The seriation problem and the travelling salesman problem **4** (4) (1978) 259–268
Latouche, G., Optimal allocation of priority in a M/M/1 queue with two types of customers **1** (2) (1975) 85– 91
Laurie, D.P. and **Rolfes, L.**, Computation of Gaussian quadrature rules from modified moments (Algorithm 15) **5** (3) (1979) 235–243
Lazer, A.C., **Leung, A.W.** and **Murio, D.A.**, Monotone scheme for finite difference equations concerning steady-state prey-predator interactions **8** (4) (1982) 243–252
Lempers, F.B., see **Kloek, T.** **1** (4) (1975) 235–237
Leroy, O., see **Poleunis, F.** **3** (3) (1977) 189–194
Lether, F.G., On Birkhoff–Young quadrature of analytical functions **2** (2) (1976) 81– 84
Lether, F.G., Computation of double integrals over a triangle (Algorithm 7) **2** (3) (1976) 219–224
Lether, F.G., Modified quadrature formulas for functions with nearby poles **3** (1) (1977) 3– 9
Lether, F.G., On the construction of Gauss–Legendre quadrature rules **4** (1) (1978) 47– 52
Lether, F.G., Some observations on Gauss–Legendre quadrature error estimates for analytic functions **7** (1) (1981) 63– 66
Leung, A.W., see **Lazer, A.C.** **8** (4) (1982) 243–252
Levin, D., Numerical inversion of the Laplace transform by accelerating the convergence of Bromwick's integral **1** (4) (1975) 247–250
Lewanowicz, S., Construction of a recurrence relation for modified moments **5** (3) (1979) 193–206
Lipitakis, E.A., A normalized algorithm for the solution of sparse symmetric seven-diagonal linear systems of semi-bandwidth *M* and *P* (Algorithm 20) **7** (1) (1981) 77– 84
Lipitakis, E.A., Direct and approximate algorithmic methods for solving self-adjoint elliptic PDEs in three-space dimensions (Algorithm 24) **9** (2) (1983) 167–176
Lipitakis, E.A., A normalized sparse linear equations solver (Algorithm 26) **9** (3) (1983) 287–298
Litinsky, E.G., Best approximation and numerical methods in solution of differential equations **4** (2) (1978) 113–116
Lo, C.Y., see **Givens, C.R.** **10** (1) (1984) 7– 23
Longman, I.M., Application of best rational function approximation for Laplace transform inversion **1** (1) (1975) 17– 23
Longman, I.M., Some aspects of the finite moment problem **10** (2) (1984) 141–146
Lowery, D., see **Corliss, G.** **3** (4) (1977) 251–256
Luke, Y.L., Chebyshev expansions and rational approximations **2** (2) (1976) 85– 93
Luke, Y.L., Computations of coefficient in the polynomials of Padé approximations by solving systems of linear equations **6** (3) (1980) 213–218
Luke, Y.L., A note on evaluation of coefficients in the polynomials of Padé approximants by solving systems of linear equations **8** (2) (1982) 93– 99

Maas, C., A lower bound for the interval number of a graph **10** (1) (1984) 65– 69
MacLeod, A.J., A comparison of algorithms for polynomial interpolation **8** (4) (1982) 275–278
Magnus, A., see **Hautot, A.** **5** (1) (1979) 3– 15
Magnus, A., see **Jones, W.B.** **6** (2) (1980) 105–119
Mahoney, J.F. and **Sivazlian, B.D.** Partial fractions expansion: a review of computational methodology and efficiency **9** (3) (1983) 247–269
Majumder, K.L., see **Bhattacharjee, G.P.** **4** (4) (1978) 295–300
Malik, A.A., see **Genz, A.C.** **6** (4) (1980) 295–302
Manicke, R.L., Unique solutions of *systems* of second-order nonlinear two-point boundary value problems **10** (2) (1984) 175–178

Mar Quemada, M., see **Calvo, M.** **8** (4) (1982) 289–292
Mattar, A., see **Abdrabbo, N.A.** **4** (2) (1978) 147–154
Mavrides, L.P., Nonlinear programming with cumulatively bounded variables **5** (3) (1979) 163–169
McCabe, J.H., Two-point Padé approximants and the quotient difference algorithm (Short Communication) **7** (2) (1981) 151–153
McCabe, J.H., Perron fractions: an algorithm for computing the Padé table **7** (4) (1981) 271–275
McCabe, J.H., On an asymptotic series and corresponding continued fraction for a gamma function ratio **9** (2) (1983) 125–130
McGlinn, R.J., see **Kammler, D.W.** **4** (2) (1978) 167–173
McKee, S., see **Andrade, C.** **3** (1) (1977) 11– 14
McKee, S., see **Gourlay, A.R.** **3** (3) (1977) 201–206
McKee, S., see **Gourlay, A.R.** **5** (2) (1979) 103–110
McRoberts, K.L., see **Bekiroglu, H.** **2** (3) (1976) 195–206
Meek, D.S., see **Hoskins, W.D.** **3** (3) (1977) 211–215
Meersman, R., A survey of techniques in applied computational complexity **1** (1) (1975) 39– 46
Meersman, R. de, A method for least squares solution of systems with a cyclic rectangular coefficient matrix **1** (1) (1975) 51– 54
Meersman, R. de, A derivation of the Levinson algorithm for solving linear systems with symmetric positive definite Toeplitz matrix (Short Communication) **2** (1) (1976) 63– 65
Meersman, R. de, Least squares with non-linear equality constraints. Application to closing of balances **5** (4) (1979) 277–281
Meersman, R. de and **Siau, P.**, On updating formulas for least squares solutions and pseudo-inverses (Short Communication) **3** (4) (1977) 293–297
Meeusen, W. and **Cuyvers, L.**, Clique detection in directed graphs: a new algorithm (Algorithm 4) **1** (3) (1975) 185–203
Meinardus, G., On the sequence of the powers of a given matrix (Short Communication) **7** (3) (1981) 225 –226
Meire, R. and **Vanderbauwhede, A.**, A useful result for certain linear periodic ordinary differential equations **5** (1) (1979) 59– 61
Melka, R.F., The method of coordinate averaging **4** (1) (1978) 41– 45
Melka, R.F., Implicit perturbations **5** (3) (1979) 177–182
Mettke, H., Convex cubic HERMITE-spline interpolation **9** (3) (1983) 205–211
Mettke, H., **Pfeifer, E.** and **Neuman, E.**, Quadratic spline interpolation with coinciding interpolation and spline grids **8** (1) (1982) 57– 62
Meulen, E.C. van der, see **Beirlant, J.** **8** (3) (1982) 187–201
Micchelli, C.A., see **Dahmen, W.** **10** (3) (1984) 255–273
Mikloško, J., A recursive computation of the determinant of a pentadiagonal matrix **1** (2) (1975) 73– 78
Mikloško, J., An algorithm for calculating continued fractions **3** (4) (1977) 273–275
Milovanović, G.V., see **Petković, M.S.** **9** (1) (1983) 65– 69
Mitchell, A.R., see **Herbst, B.M.** **9** (4) (1983) 377–389
Mitchell, A.R. and **Griffiths, D.F.**, Upwinding by Petrov–Galerkin methods in convection-diffusion problems **6** (3) (1980) 219–228
Mizrahi, M.M., Generalized Hermite polynomials **1** (4) (1975) 273–277
Moffatt, D., see **Lal, M.** **8** (4) (1982) 233–236
Morris, J.Ll., see **Gourlay, A.R.** **4** (4) (1978) 269–273
Mund, E.H., **Hallet, P.** and **Hennart, J.P.**, An algorithm for the interpolation of functions using quintic splines (Algorithm 5) **1** (4) (1975) 279–288
Murio, D.A., On the estimation of the boundary temperature on a sphere from measurements at its center **8** (2) (1982) 111–119
Murio, D.A., see **Lazer, A.C.** **8** (4) (1982) 243–252

Murphy, J.A. and **O'Donohoe, M.R.**, A two-variable generalization of the Stieltjes-type continued fraction **4** (3) (1978) 181–190
Murray, D.M., see **Dreyer, T.P.** **10** (1) (1984) 81– 91
Murthy, D.N.P., see **Day, J.D.** **8** (1) (1982) 21– 27
Murthy, D.N.P., see **Day, J.D.** **9** (3) (1983) 213–219
Murty, B.S.N. and **Husain, A.**, Orthogonality correction in the conjugate-gradient method **9** (4) (1983) 299–304

Na, T.Y., see **Aziz, A.** **7** (2) (1981) 115–119
Neittaanmäki, P. and **Saranen, J.**, A modified least squares FE-method for ideal fluid flow problems **8** (3) (1982) 165–169
Nerinckx, D. and **Haegemans, A.**, A comparison of non-linear equation solvers (Short Communication) **2** (2) (1976) 145–148
Neta, B. and **Ford, C.H.**, Families of methods for ordinary differential equations based on trigonometric polynomials **10** (1) (1984) 33– 38
Neuman, E., Uniform approximation by some Hermite interpolating splines **4** (1) (1978) 7– 9
Neuman, E., Moments and Fourier transforms of B-splines **7** (1) (1981) 51– 62
Neumann, E., see **Mettke, H.** **8** (1) (1982) 57– 62
Neuts, M.F., An annoted bibliography on computational probability. Part 1 (Bibliography 6) **3** (1) (1977) 53– 74
Niethammer, W. and **Schade, J.**, On a relaxed SOR-method applied to nonsymmetric linear systems **1** (3) (1975) 133–136
Niki, H.. see **Ikeuchi, M.** **5** (4) (1979) 247–258
Niki, H., Ikeuchi, M. and **Sawami, H.**, On the accelerated interactive method for estimating the optimum overrelaxation parameter **8** (4) (1982) 257–266
Niki, H., Sawami, H., Ikeuchi, M. and **Okamoto, N.**, The alpha interpolation method for the solution of an eigenvalue problem **8** (1) (1982) 15– 19
Niki, H., Sawami, H. and **Ondoh, T.**, Note on the non-stationary iterative method for the estimation of the optimum overrelaxation parameter **6** (2) (1980) 127–131
Niznik, C.A., A numerical analysis of two point boundary value problem algorithms **6** (3) (1980) 201–211
Njåstad, O., see **Jones, W.B.** **9** (2) (1983) 105–123
Nourein, A.-W.M., An iteration formula for the simultaneous determination of the zeros of a polynomial **1** (4) (1975) 251–254
Nourein, A.-W.M., An improvement on Nourein's method for the simultaneous determination of the zeroes of a polynomial (Algorithm 7) **3** (2) (1977) 109–112
Nuttall, J., see **Baumel, R.T.** **7** (2) (1981) 135–140

Odanaka, T., see **Sagara, N.** **8** (3) (1982) 209–212
O'Donohoe, M.R., see **Murphy, J.A.** **4** (3) (1978) 181–190
Ojika, T., see **Welsh, W.** **6** (2) (1980) 133–143
Ojika, T., see **Welsh, W.** **6** (3) (1980) 183–187
Okamoto, N., see **Niki, H.** **8** (1) (1982) 15– 19
Okolie, S.O., see **Evans, D.J.** **8** (4) (1982) 237–242
Oliver, J., On the sensitivity to rounding errors of Chebyshev series approximations **3** (2) (1977) 89– 98
Oliver, J., Rounding error propagation in polynomial evaluation schemes **5** (2) (1979) 85– 97
Oliver, J., On the application of Newbery's transformation to the Reinsch polynomial evaluation scheme **6** (1) (1980) 43– 52
Oliver, J., An algorithm for numerical differentiation of a function of one real variable (Algorithm 17) **6** (2) (1980) 145–160
Oliver, J., The selection of interpolation points in the numerical approximation of second and third order derivatives **6** (3) (1980) 229–239

O'Malley, M.J., see **Brown, D.R.** **3** (4) (1977) 243–249
Ondoh, T., see **Niki, H.** **6** (2) (1980) 127–131
Ong, H.L., Finite element solution to the second order elliptic problems **10** (1) (1984) 39– 43
Ong, H.L., Fast approximate solution of large scale sparse linear systems **10** (1) (1984) 45– 54
O'Shea, B.B., Algorithms for the solution of systems of coupled second-order ordinary differential equations **4** (1) (1978) 11– 17
Ouellet, R., A general model for the measurement of traveller flows **8** (1) (1982) 49– 50

Paiano, G. and **Picca, D.**, Integral transforms as computational tools in quantum mechanics **1** (2) (1975) 93–100
Papamichael, N., see **Behforooz, G.H.** **6** (1) (1980) 59– 65
Papamichael, N. and **Warby, M.K.**, Pole-type singularities and the numerical conformal mapping of double-connected domains **10** (1) (1984) 93–106
Papamichael, N., Warby, M.K. and **Hough, D.M.**, The determination of the poles of the mapping function and their use in numerical conformal mapping **9** (2) (1983) 155–166
Papamichael, N. and **Worsey, A.J.**, End conditions for improved cubic spline derivative approximations **7** (2) (1981) 101–109
Papamichael, N. and **Worsey, A.J.**, A cubic spline method for the solution of a linear fourth-order two-point boundary value problem **7** (3) (1981) 187–189
Papatheodorou, T.S., Inverses for a class of banded matrices and applications to piecewise cubic approximation **8** (4) (1982) 285–288
Papatheodorou, T.S. and **Jesanis, M.E.**, Collocation methods for Volterra integrodifferential equations with singular kernels **6** (1) (1980) 3– 8
Paulik, A., On the optimal approximation of bounded linear functionals in Hilbert spaces with inner product invariant in rotation or translation **2** (4) (1976) 267–272
Paulik, A., see **Kiessling, I.** **8** (3) (1982) 203–207
Pescatore, C. and **Cole, R.J.**, A method for predicting the stability characteristics of three-term homogeneous recurrence relations **6** (3) (1980) 197–199
Peschanel, F.D., An approach to a consistent qualification of decision procedures in probabilistic information processing **1** (4) (1975) 239–245
Petkov, P.Hr., see **Konstantinov, M.M.** **6** (1) (1980) 27– 35
Petković, M.S., On an iterative method for simultaneous inclusion of polynomial complex zeros **8** (1) (1982) 51– 56
Petković, M.S. and **Milovanović, G.V.**, A note on some improvements of the simultaneous methods for determination of polynomial zeros **9** (1) (1983) 65– 69
Pfeifer, E., see **Mettke, H.** **8** (1) (1982) 57– 62
Phelps, III, J.S., see **Siewert, C.E.** **5** (2) (1979) 99–101
Phelps, III, J.S. and **Funcheon, M.J.**, Solutions of a transcendental equation basic to the study of composite media heat transer **10** (2) (1984) 135–139
Picca, D., Laplace-transform approach tot he quantal Coulomb problem **2** (1) (1976) 49– 54
Piessens, R., A bibliography on numerical inversion of the Laplace transform and applications (Bibliography 1) **1** (2) (1975) 115–128
Piessens, R., see **Branders, M.** **1** (1) (1975) 55– 65
Piessens, R., see **Dierckx, P.** **3** (3) (1977) 207–209
Piessens, R., see **Doncker, E. de** **2** (4) (1976) 273–280
Piessens, R. and **Branders, M.**, Computation of oscillating integrals (Algorithm 2) **1** (3) (1975) 153–164
Piessens, R. and **Dang, N.D.P.**, A bibliography on numerical inversion of the Laplace transform and appliations: A supplement (Bibliography 1A) **2** (3) (1976) 225–228
Piessens, R. and **Haegemans, A.**, Cubature formulas of degree eleven for symmetric planar regions **1** (2) (1975) 79– 83

Pindor, M., A simplified algorithm for calculating the Padé table derived from Baker and Longman schemes — **2** (4) (1976) 255–257
Poleunis, F. and **Leroy, O.**, The construction of self-adjoint operators of Hill with periodic eigenfunctions — **3** (3) (1977) 189–194
Prevost, M., Padé-type approximants with orthogonal generating polynomials — **9** (4) (1983) 333–346
Price, Jr., T.E., The numerical approximation of analytic functions in the complex domain — **6** (3) (1980) 177–182
Pril, N. de, see **Gerber, H.U.** — **7** (4) (1981) 267–269
Pril, N. de, D'Hooge, L. and **Goovaerts, M.J.**, A bibliography on credibility theory and its applications (Bibliography 3) — **2** (1) (1976) 55– 62
Prince, P.J., see **Dormand, J.R.** — **6** (1) (1980) 19– 26
Prince, P.J. and **Dormand, J.R.**, High order embedded Runge-Kutta formulae — **7** (1) (1981) 67– 75
Pusterla, M., see **Chisholm, J.S.R.** — **2** (2) (1976) 73– 76

Rae, I.C., On Laplacian integrals with singular kernels (Short Communication) — **8** (2) (1982) 141
Rahman, M., On the numerical solution of the flow between a rotating and a stationary disk — **4** (4) (1978) 289–293
Rasmussen, H., see **Forsyth, Jr., P.** — **6** (1) (1980) 37– 42
Rasmussen, H., see **Greydanus, J.** — **9** (2) (1983) 97–103
Rayski, J., A refined Born approximation — **3** (1) (1977) 31– 34
Razzaghi, M., On the Jacobi condition for optimizing an engineering problem — **2** (2) (1976) 77– 80
Razzaghi, M., On the pole assignment for single-input systems with time-delays — **4** (2) (1978) 155–157
Reddy, P.J., Zimmermann, H.-J. and **Husain, A.**, Numerical experiments on DFP-method, a powerful function minimization technique — **1** (4) (1975) 255–265
Richardson, A.A., see **Graney, L.** — **7** (4) (1981) 229–236
Ridder, L. de, see **Dooren, P. van** — **2** (3) (1976) 207–217
Ridder, R. de, see **Dyck, D. van** — **6** (1) (1980) 83– 85
Roberts, D.E., An analysis of double power series using rotationally covariant approximants — **3** (4) (1977) 257–262
Robinson, I., A comparison of numerical integration programs — **5** (3) (1979) 207–223
Rodabaugh, D.J. and **Thompson, S.**, Low-order A_0-stable Adams-type correctors (Algorithm 14) — **5** (3) (1979) 225–233
Rolfes, L., see **Laurie, D.P.** — **5** (3) (1979) 235–243
Ronchetti, E., see **Rousseeuw, P.J.** — **7** (3) (1981) 161–166
Roose, D. and **Doncker, E. de**, Automatic integration over a sphere (Algorithm 22) — **7** (3) (1981) 203–224
Roseman, J. and **Zwas, G.**, On the correct numerical shock speed — **2** (1) (1976) 3– 6
Rosen, J.B., see **Ascher, U.** — **5** (3) (1979) 183–191
Rousseeuw, P.J., Optimal search paths for random variables — **9** (3) (1983) 279–286
Rousseeuw, P.J. and **Ronchetti, E.**, Influence curves of general statistics — **7** (3) (1981) 161–166

Sablonnière, P., A new family of Padé-type approximants in $\mathbb{R}^k$ — **9** (4) (1983) 347–359
Sack, R.A., A numerical method for simultaneous convergence to the elements of a sequence — **5** (1) (1979) 29– 35
Sagara, N. and **Fukushima, M.**, A continuation method for solving separable nonlinear least squares problems — **10** (2) (1984) 157–161
Sagara, N., Odanaka, T. and **Arimizu, T.**, Invariant imbedding and the identification of aquifer parameters — **8** (3) (1982) 209–212
Saldanha, J.S.V., see **Jain, M.K.** — **4** (3) (1978) 199–206
Salzer, H.E., A new form of trigonometric orthogonality and Gaussian-type quadrature — **2** (4) (1976) 241–248

Salzer, H.E., Inverse Laplace transforms of osculatory and hyperosculatory interpolation polynomials using "near-Chebyshev" nodes (Short Communication) **3** (3) (1977) 217
Salzer, H.E., Minimal error difference formulas **3** (4) (1977) 263–267
Salzer, H.E., Note on the Dočev–Grosswald asymptotic series for generalized Bessel polynomials **9** (2) (1983) 131–135
Sánchez-Dehesa, J., On the conditions for a Hamiltonian matrix to have an eigenvalue density with some prescribed characteristics **2** (4) (1976) 249–254
Sánchez-Dehesa, J., The asymptotical spectrum of Jacobi matrices **3** (3) (1977) 167–171
Sánchez-Dehesa, J., The spectrum of Jacobi matrices in terms of its associated weight function **4** (4) (1978) 275–283
Sánchez-Dehesa, J., On a general system of orthogonal q-polynomials **5** (1) (1979) 37– 45
Sánchez-Dehesa, J., Lanczos method of tridiagonalization, Jacobi matrices and physics **7** (4) (1981) 249–259
Saranen, J., see **Neittaanmäki, P.** **8** (3) (1982) 165–169
Sastry, S.S., Finite difference approximations to one-dimensional parabolic equations using a cubic spline technique **2** (1) (1976) 23– 26
Sawami, H., see **Ikeuchi, M.** **5** (4) (1979) 247–258
Sawami, H., see **Niki, H.** **6** (2) (1980) 127–131
Sawami, H., see **Niki, H.** **8** (1) (1982) 15– 19
Sawami, H., see **Niki, H.** **8** (4) (1982) 257–266
Schade, J., see **Niethammer, W.** **1** (3) (1975) 133–136
Schoombie, S.W., see **Herbst, B.M.** **9** (4) (1983) 377–389
Schwierz, K.-P., see **Bierbaum, F.** **4** (1) (1978) 59– 86
Schwierz, K.-P., see **Garloff, J.** **6** (1) (1980) 67– 79
Segercrantz, J., On the existence of conjugate points for a constrained minimization problem (Letter) **10** (3) (1984) 385–386
Shampine, L.F., Efficient use of implicit formulas with predictor-corrector error estimate **7** (1) (1981) 33– 35
Sharma, S.R., see **Chawla, M.M.** **10** (2) (1984) 163–168
Shenton, L.R., see **Bowman, K.O.** **2** (4) (1976) 259–266
Shenton, L.R., see **Bowman, K.O.** **4** (2) (1978) 105–111
Shenton, L.R., see **Bowman, K.O.** **9** (1) (1983) 29– 39
Shenton, L.R., see **Bowman, K.O.** **10** (2) (1984) 229–244
Shenton, L.R., see **Bowman, K.O.** **10** (2) (1984) 245–254
Shenton, L.R., and **Bowman, K.O.**, A new algorithm for summing divergent series. Part 1: Basic theory and illustrations **2** (3) (1976) 151–167
Shenton, L.R. and **Bowman, K.O.**, A new algorithm for summing divergent series. Part 3: Applications **3** (1) (1977) 35– 51
Shenton, L.R. and **Bowman, K.O.**, Generalized continued fractions and Whittaker's approach **4** (1) (1978) 3– 5
Siau, P., see **Meersman, R. de** **3** (4) (1977) 293–297
Sidi, A., Computation of the Chebyshev–Padé table **1** (2) (1975) 69– 71
Sidi, A., On the approximation of square-integrable functions by exponential series **1** (4) (1975) 229–234
Sidi, A., Best rational function approximation to Laplace transform inversion using a window function **2** (3) (1976) 187–194
Sidi, A., Some aspects of two-point Padé approximants **6** (1) (1980) 9– 17
Sidi, A., A new method for deriving Padé approximants for some hypergeometric functions **7** (1) (1981) 37– 40
Siemaszko, W., Branched continued fractions for double power series **6** (2) (1980) 121–125
Siemaszko, W., Thiele-type branched continued fractions for two-variable functions **9** (2) (1983) 137–153
Siewert, C.E., see **Burniston, E.E.** **4** (1) (1978) 37– 39

Siewert, C.E. and **Burniston, E.E.**, An exact analytical solution of $x \coth x = \alpha x^2 + 1$ **2** (1) (1976) 19– 21
Siewert, C.E.and **Phelps, III, J.S.**, On the solution of $\tan(\xi - k\pi) + \tanh \xi = 0$ **5** (2) (1979) 99–101
Sitter, J. de, see **Dyck, D. van** **6** (1) (1980) 83– 85
Sivazlian, B.D., see **Mahoney, J.F.** **9** (3) (1983) 247–269
Sloan, D.M. and **Wilks, G.**, The Riccati transformation method and the computation of eigenvalues of complex linear differential systems **3** (3) (1977) 195–199
Snyman, J.A., Continuous and discontinuous numerical solutions to the Troesch problem **5** (3) (1979) 171–175
Sobhy, M.I., see **Hosny, E.A.** **8** (3) (1982) 159–164
Sommeijer, B.P., see **Houwen, P.J. van der** **5** (2) (1979) 73– 83
Sommeijer, B.P., see **Houwen, P.J. van der** **10** (1) (1984) 55– 63
Sottas, G., Rational Runge–Kutta methods are not suitable for stiff systems of ODEs **10** (2) (1984) 169–174
Spitzer, J.J., A numerically stable and efficient technique for the maintenance of positive definiteness in the Hessian for Newton-type methods **3** (2) (1977) 105–108
Starkand, Y., Explicit formulas for matrix-valued Padé approximants **5** (1) (1979) 63– 66
Steihaug, T., see **Axelsson, O.** **4** (2) (1978) 129–142
Stetter, H.J. and Überhuber, C.W., Proposal for population studies in numerical quadrature (Short Communiation) **1** (3) (1975) 213–215
Ström, T. and **Svensson, P.**, On the determination of an orthogonal transformation **2** (1) (1976) 7– 11
Svensson, P., see **Ström, T.** **2** (1) (1976) 7– 11

Temme, N.M., On the expansion of confluent hypergeometric functions in terms of Bessel functions **7** (1) (1981) 27– 32
Teugels, J.L., A bibliography on semi-Markov processes (Bibliography 4) **2** (2) (1976) 125–144
Thompson, S., The non-existence of certain A_0-stable Adamstype correctors **8** (3) (1982) 155–157
Thompson, S., Stiffly stable fourth order Adams-type methods **8** (4) (1982) 253–256
Thompson, S., see **Rodabaugh, D.J.** **5** (3) (1979) 225–233
Thron, W.J., see **Jones, W.B.** **9** (2) (1983) 105–123
Troesch, B.A., see **Anglesio, J.D.** **6** (2) (1980) 99–103

Überhuber, C.W., see **Stetter, H.J.** **1** (3) (1975) 213–215
Usmani, R.A., Smooth spline approximations for the solution of a boundary value problem with engineering applications **6** (2) (1980) 93– 98

Vanderbauwhede, A., see **Meire, R.** **5** (1) (1979) 59– 61
Vel, H. van de, Haar intervals for trigonometric polynomials **5** (4) (1979) 265–267
Verwer, J.G., A class of stabilized three-step Runge–Kutta methods for the numerical integration of parabolic equations **3** (3) (1977) 155–166
Verwer, J.G., see **Houwen, P.J. van der** **5** (2) (1979) 73– 83
Vinardi, G., see **Baratella, P.** **7** (2) (1981) 87– 91
Vries, H.B. de, A comparative study of ADI splitting methods for parabolic equations in two space dimensions **10** (2) (1984) 179–193
Vries, H.B. de, see **Houwen, P.J. van der** **9** (1) (1983) 41– 63
Vylder, F. de, A new proof for a known result in risk theory **3** (4) (1977) 277–279
Vylder, F. de and **Goovaerts, M.J.**, Upper bounds for ruin probabilities in a new general risk model, by the martingales method **8** (2) (1982) 121–126

Wadia, A.R., Note on the eigensolution of a homogeneous equation with semi-infinite domain (Short Communication) **6** (2) (1980) 161–165
Waksman, Z., see **Galperin, A.** **7** (3) (1981) 173–179

Walton, D.J., see **Hoskins, W.D.** **3** (3) (1977) 211–215
Wambecq, A., Nonlinear methods in solving ordinary differential equations **2** (1) (1976) 27– 33
Wambecq, A., Plotting a function of two variables (Algorithm 11) **3** (4) (1977) 281–291
Wambecq, A., Solution of the equations associated with rational Runge–Kutta methods of orders up to four **6** (4) (1980) 275–281
Warby, M.K., see **Papamichael, N.** **9** (2) (1983) 155–166
Warby, M.K., see **Papamichael, N.** **10** (1) (1984) 93–106
Watson, L.T., Fixed points of C^2 maps (Algorithm 13) **5** (2) (1979) 131–139
Watson, L.T., Numerical study of porous channel flow in a rotating system by a homotopy method **7** (1) (1981) 21– 26
Watts, H.A., Starting step size for an ODE solver (Algorithm 25) **9** (2) (1983) 177–191
Welsh, W. and **Ojika, T.**, Multipoint boundary value problems with discontinuities, I: Algorithms and applications **6** (2) (1980) 133–143
Welsh, W. and **Ojika, T.**, Multipoint boundary value problems with discontinuities, II: Convergence of the initial value adjusting method **6** (3) (1980) 183–187
Westreich, D. and **Cahlon, B.**, Numerical methods for discontinuous linear two point boundary value problems **5** (2) (1979) 111–115
Wilhelmsen, D.R., Degree two Gaussian cubatures in the plane **4** (3) (1978) 229–232
Wilks, G., see **Sloan, D.M.** **3** (3) (1977) 195–199
Wilson, K.B., see **Barrodale, I.** **4** (2) (1978) 159–166
Wise, G.L. and **Gallagher, N.C.**, A novel approach for the computation of orthonormal polynomial expansions **7** (3) (1981) 157–160
Worsey, A.J. and **Papamichael, N.** **7** (2) (1981) 101–109
Worsey, A.J., see **Papamichael, N.** **7** (3) (1981) 187–189
Wu, C.L. and **Adler, R.J.**, Nonlinear matrix algebra and engineering applications. Part 1: Theory and linear form matrix **1** (1) (1975) 25– 37
Wu, C.L. and **Adler, R.J.**, Nonlinear matrix algebra and engineering applications. Part 2: Polynomial form matrices **2** (3) (1976) 169–185
Wuytack,L., Numerical integration by using nonlinear techniques **1** (4) (1975) 267–272
Wuytack, L., see **Claessens, G.** **5** (4) (1979) 283–289

Zimmermann, H.-J., see **Reddy, P.J.** **1** (4) (1975) 255–265
Zinober, A.S.I. and **Huntley, E.**, The numerical solution of linear time-dependent partial differential equations by the Laplace transform and finite difference approximations **6** (4) (1980) 253–258
Zwas, G., see **Roseman, J.** **2** (1) (1976) 3– 6